No.



9400140

# THE CONTRED STRATES OF ANTERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Aorthrup King Company

There is, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC LENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR NG IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE RPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S39-41'

In Testimony Microst, I have hereunto set my hand and caused the seal of the Mant Anciety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of October in the year of our Lord and hinesty-live.

Allest:

Marsha A. Sankin

Commissioner

Plant Variety Protection Office Agricultural Marketing Service HUNOMAN Cotary of Agriculture

**新文製品(製料果製料(四)** 

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budge. Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

| APPLICATION FOR PLANT VARIET (Instructions on  | Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).   |  |  |
|--|--|--|--|
| NAME OF APPLICANT(S) (as if is to appear on the Certificate)                           |  | 2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO. | 3. VARIETY NAME  |
| Northrup King Co.  |  | X9339, J800587                               | \$39-41  |
| ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)                           |  | 5. PHONE (Include area code)                 | FOR OFFICIAL USE ONLY  |
| D 0 D 040  |  |  | PVPO NUMBER  |
| P. O. Box 949  |  | 319-653-2181                                 | I mannian I  |
| Washington, Iowa 52353-0949  |  | 313 033 2101                                 | 9400140  |
| Attention: Dr. John C. Thorne  |  |  | F Date   |
| <u> </u>   |  |  | "March 31,1994   |
| GENUS AND SPECIES NAME   | 7. FAMILY NAME (Sotani   |  | i ime  |
| Glycine max  | · Leguminosae  |  | G A.M. P.M.  |
| CROP KIND NAME (Common Name)   | g  | DATE OF DETERMINATION                        | F Filing and Examination Fee:  |
|  |  | November, 1988                               | E 32,323.00  |
| Soybean  |  | ·  | S Date   |
| 0 IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA                          | NIZATION (Corporation, par   | tnership, association, etc.)                 | * March 31, 1994   |
| Corporation  |  |  | C Certificate Fee:   |
| 1. IF INCORPORATED, GIVE STATE OF INCORPORATION  | 12. D  | ATE OF INCORPORATION                         | 300-00   |
| Delaware   |  | 1976   | E / M. 1/ 1000   |
| 3. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO                         | SERVE IN THIS ARRIVATI   | ON AND DECEIVE ALL DADERS                    | 0 (Ulig.7/177V)  |
| Dr. John C. Thorne   |  |  |  |
| Northrup King Co.  |  |  |  |
| P. O. Box 949  | •  | . ·  |  |
| Washington, Iowa 52353-0949  |  | PHONE (include area co                       | de): 319-653-6645  |
| 4. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Folia                          | ow INSTRUCTIONS on reve  | (30)   |  |
| a. X Exhibit A, Origin and Breeding History of the Variety.                            | 100  |  |  |
| b. X Exhibit B. Novelty Statement.   |  | And the second second                        |  |
| c. X Exhibit C, Objective Description of Variety                                       |  |  |  |
| d. Exhibit O, Additional Description of Variety.                                       |  |  |  |
| a. X Exhibit E. Statement of the Basis of Applicant's Ownersh                          | ip.  | •  | $(x_1, \dots, x_n) = (x_1, \dots, x_n) \in \mathbb{R}^n \times \mathbb{R}^n$ |
| Seed Sample (2,500 viable untreated seeds). Date Seed                                  | Sample mailed to Plant   | Variety Protection Office                    | · ·  |
| g. X Filing and Examination Fee (\$2,150) made payable to "1                           |  |  |  |
| 5. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.)      |  |  | See section 83(a) of the Plant Variety                                       |
| YES (N -YES, * answer items 16 and 17 be   |  | VO." skip to item 18 below)                  |  |
| 6 DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS? | TO 17. IF "YES" T  | O ITEM 16, WHICH CLASSES OF PROD             | UCTION BEYOND BREEDER SEED?  |
| YES X NO   | FOI  | UNDATION REGIS                               | TERED CERTIFIED  |
| 3. DIO THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VA                       | OJETY NI TIE LI CO   |  |  |
| S. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PHOTECTION OF THE VA                       | HIETTIN THE U.S.7  |  |  |
| YES (If "YES," Ithrough Plant Variety Protection Act                                   | Patent Act. Give da  | ie1  |  |
| X NO   | *  |  |  |
| 9 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR N                          | ARKETED IN THE U.S. O.D.   | OTHER COUNTRIES?                             |  |
|  | THE STATE OF THE S |  | ·  |
| YES (II "YES," give names of countries and dates)                                      |  |  |  |
| <u> </u>   | * - v  |  |  |
| o The applicant(s) declare(s) that a viable sample of basic se                         | eds of this variety wil  | l be furnished with the applicat             | ion and will be replenished upon   |
| request in accordance with such regulations as may be appl                             | licable.   |  |  |
| The undersigned applicant(s) is (are) the owner(s) of this                             | sexually reproduced  | novel plant variety, and believ              | re(s) that the variety is distinct,  |
| uniform, and stable as required in section 41, and is entitle                          | ed to protection under t   | he provisions of section 42 of the           | Plant Variety Protection Act   |
| Applicanus) is (are) informed that false representation her                            |  |  |  |
| SIGNATURE OF APPLICANT (Owners)  | CAPACITY OR  | TITLE  | DATE   |
| of Chone   | Sovbean  | Research Director                            | 3-14-94  |
| 30 N / 1   |  |  |  |
| GIGNATURE OF APPLICANT (Owner(s))  | CAPACITY OR  | TITLE  | DATE   |
| $oldsymbol{V}_{i,j}$   |  |  |  |

FORM CSSD-470 (5-89). Edition of FORM LS-470, 3-86, is obsolete

#### EXHIBIT A

## Origin and Breeding History of the Variety

The soybean variety 'S39-41' was derived from a backcross program to transfer the Rps 1-k gene for resistance to Phytophthora megasperma to the variety 'S42-30'. In the summer of 1984, soybean research personnel at the Northrup King Co. Research Center at St. Illinois crossed resistant F6 plants from the cross 'Williams 82' x PRX58-35, a resistant germplasm source, with S42-This F1 population was crossed with S42-30 in the winter of 1984-85 at the Northrup King Research Center at Waimea, Kauai, This BC1F1 population was screened for resistance at St. Joseph, and resistant plants were again crossed to S42-30 in the summer of 1985. The BC2F1 and F2 generations were grown at Waimea during the winter of 1985-86, the F3 at St. Joseph in the summer of 1986, the F4 and F5 in Waimea in the winter of 1986-87, and the F6 at St. Joseph in the summer of 1987. The F6 was screened for Phytophthora resistance and all susceptible plants were discarded The F2 through F5 were advanced by harvesting 2-4 seeds from each plant and planting a 600 seed sample from the bulk. In the fall of 1987 18 resistant plants were harvested and threshed individually. The progeny from these plants were grown as F7 plant rows at St. Joseph in the summer of 1988. One of these, numbered J800587, was selected on the basis of resistance to Races 12 and 17 of Phytophthora and agronomic appearance to be tested in a preliminary This line was subsequently tested under the yield trial in 1989. It has been tested temporary designation X9339 and named S39-41. at several central cornbelt U.S. locations from 1990 to 1993 and found to yield well compared to other late Maturity Group III and early IV cultivars. Descriptive traits including purple flowers, tawny pubescence, tan pods, and black hilum (up to 2% other hilum color), have been identified and confirmed. S39-41 has been tested in the field for iron-deficiency chlorosis at test sites in Northern Iowa and Southern Minnesota and found to have an intermediate reaction. It has been tested for reaction to Race 1, 3, 4 and 7 of Phytophthora megasperma using hypocotyl inoculation of greenhouse grown plants and found to be resistant.

In the winter of 1991-92, 2500 seeds of S39-41 were planted at Waimea. This increase was carefully rogued and bulk threshed. The resulting seed was planted near the Northrup King Research and Seedstock facility at Washington, Iowa, to produce Breeder Seed. This increase was carefully rogued at flowering and again at maturity. In addition, 100 plants from the winter increase were harvested and threshed individually and their progeny planted at St. Joseph in the summer of 1992 to monitor variability and to produce Pedigree Seed. A few plants with white flowers or gray pubescence were removed. These plants were assumed to have come from admixture or out-crossing. All rows were uniform and were bulked. This seed was planted in 1993 to produce a purified source of Breeder Seed which also carefully rogued as before.

Foundation Seed of S39-41 was produced in 1993 from the 1992 Breeder Seed. The Iowa Crop Improvement Association inspected the fields and found them to meet the standards for Foundation Seed. The National Soybean Variety Review Board approved the variety for Certification on December 10, 1993.

S39-41 is a stable and uniform variety. Over five years of testing and three cycles of seed increase, no variants have been observed. Any off-type plants which were removed from increase fields were assumed to have arisen from admixture or outcrossing.

Varietal purity will be maintained using progeny rows as described above as needed.

#### EXHIBIT B

## Novelty Statement for the Variety

Soybean variety S39-41 is most similar to S42-30. It differs from S42-30 on the basis of resistance to Races 1, 3, 4, and 7 of Phytophthora megasperma. S39-41 is resistant; S42-30 is susceptible.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

# OBJECTIVE DESCRIPTION OF VARIETY SOYREAN (Giveing max 1.)

| 301022   | (IV   Cirycine max L.)  |   |
|--|---|---|
| NAME OF APPLICANT(S)   | TEMPORARY DESIGNATION   | VARIETY NAME  |
| Northrup King Co.  | X9339, J800587  | s39-41  |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code  | e)  | FOR OFFICIAL USE ONLY   |
| P. O. Box 949  |   | PVPO NUMBER   |
| Washington, IA 52353-0949  |   | 9400140   |
| Attention: John C. Thorne  |   | 7400140   |
| Choose the appropriate response which characterizes the varing your answer is fewer than the number of boxes provided,   | iety in the features described l<br>place a zero in the first box w | below. When the number of significant digits hen number is 9 or less (e.g., 0 9). |
| 1. SEED SHAPE:   |   |   |
|  | Ĭ   |   |
| 2  L   W   | T   |   |
| 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)   |   | (L/W ratio > 1.2; L/T ratio = < 1.2)<br>(L/T ratio > 1.2; T/W > 1.2)              |
| 2. SEED COAT COLOR: (Mature Seed)  |   |   |
| 1 = Yellow 2 = Green 3 = Brown   | 4 = Black 5 = Other   | (Specify)   |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed)  |   |   |
| 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso  | oy'; 'Gasoy 17')  |   |
| 4. SEED SIZE: (Mature Seed)  |   |   |
| 1 6 Grams per 100 seeds  |   |   |
| 5. HILUM COLOR: (Mature Seed)  |   |   |
| 6 1 = Buff 2 = Yellow 3 = Brown Up to 2% other hilum color   | 4 = Gray 5 = Imperfect Bla  | ock 6 = Black 7 = Other (Specify)   |
| 6. COTYLEDON COLOR: (Mature Seed)  |   |   |
| 1 = Yellow 2 = Green   |   |   |
| 7. SEED PROTEIN PEROXIDASE ACTIVITY:   |   |   |
| 1 1 = Low 2 = High   |   |   |
| 8. SEED PROTEIN ELECTROPHORETIC BAND:  |   |   |
| 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )  |   |   |
| 9. HYPOCOTYŁ COLOR:  |   |   |
| 1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; | h bronze band below cotyledons ( 'Coker Hampton 266A')              | 'Woodworth'; 'Tracy')   |
| 10. LEAFLET SHAPE:   |   |   |
| 3 1 = Lanceolate 2 = Oval 3 = Ovate  | 4 = Other (Specify)   |   |

| 11. LEAFLET SIZE:  |   |
|--|---|
| 1 = Small ('Amsoy 71'; 'A531'<br>3 = Large ('Crawford'; 'Tracy')     |   |
| 12. LEAF COLOR:  |   |
| 1 = Light Green ('Weber'; 'Yor                                       | rk') 2 = Medium Green ('Corsoy 79'; 'Braxton')    |
| 2 3 = Dark Green ('Gnome'; 'Tra                                      |   |
| 13. FLOWER COLOR:  |   |
| 2 1 = White 2 = Put  | Irple 3 = White with purple throat                |
| 14, POD COLOR:   |   |
| 1 = Ten 2 = Brown  | 3 = Black   |
| 15. PLANT PUBESCENCE COLOR:  |   |
| 2 1 = Gray 2 = Brown   | ı (Tawny).  |
| 16. PLANT TYPES:   |   |
| 1 = Slender ('Essex'; 'Amsoy 71<br>3 = Bushy ('Gnome'; 'Govan')      | 1') 2 = Intermediate ('Amcor'; 'Braxton')         |
| 47 OLANT HARIT   |   |
| 17. PLANT HABIT:   |   |
| 3 1 = Determinate ('Gnome'; 'Bra<br>3 = Indeterminate ('Nebsoy'; 'Ir |   |
|  |   |
| 18. MATURITY GROUP:  |   |
| 6 1 = 000 2 = 00<br>9 = VI 10 = VII                                  | 3=0 4=I 5=II 6=III 7=IV 8=V<br>11=VIII 12=IX 13=X |
| 19. DISEASE REACTION: (Enter 0 = Not T                               | Fested; 1 = Susceptible; 2 = Resistant)           |
| BACTERIAL DISEASES:  |   |
| 0 Bacterial Pustule (Xanthomonas                                     | s pheseoli var. sojensis)                         |
| Bacterial Blight (Pseudomonas gr                                     | ılycinea)   |
| Wildfire (Pseudomonas tabaci)  |   |
|  |   |
| FUNGAL DISEASES:   |   |
| Brown Spot (Septoria glycines)                                       |   |
| Frogeye Leaf Spot (Cercospora s                                      | sojina)   |
| 0 Race 1 Race 2  | Race 3 Race 4 Race 5 Other (Specify)              |
| Target Spot (Corynespora cassiica                                    | cola)   |
| Downy Mildew (Peronospora trift                                      | foliorum var. manshurica)                         |
| Powdery Mildew (Microsphaera d                                       | tiffusa)  |
| Brown Stem Rot (Cephalosporius                                       | m gregatum)                                       |
| Stem Canker (Diaporthe phaseolo                                      | Drum Vet. Caulivoral                              |

| 19. BISEASE   | REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2                 | Resistant) (Continued) |                                       |
|---------------|---|------------------------|---------------------------------------|
| FUNGA         | L DISEASES: (Continued)   |                        |                                       |
| Po            | od and Stem Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i> |                        |                                       |
| ] Pu          | rple Seed Stain (Cercospora kikuchii)                               |                        |                                       |
| 0 RI          | hizoctonia Root Rot (Rhizoctonia solani)                            |                        |                                       |
| Ph            | nytophthora Rot (Phytophthora megasperma var. sojae)                | _                      |                                       |
| 2 R           | ace 1 0 Race 2 2 Race 3 2   | Race 4 0 Race 5        | 0 Race 6 2 Race 7                     |
| 0 R           | ace 8 0 Race 9 Other (Specify)                                      |                        | · · · · · · · · · · · · · · · · · · · |
| VIRAL         | DISEASES:   |                        |                                       |
| 0 Bu          | id Blight (Tobacco Ringspot Virus)                                  |                        |                                       |
| 0 Ye          | ellow Mosaic (Bean Yellow Mosaic Virus)                             |                        |                                       |
| 0 0           | wpea Mosaic (Cowpea Chlorotic Virus)                                |                        |                                       |
| 0 Po          | d Mottle (Bean Pod Mottle Virus)                                    |                        |                                       |
| 0 Sec         | ed Mottle (Soybean Mosaic Virus)                                    |                        |                                       |
| NEMATO        | DE DISEASES:  |                        |                                       |
| Sov           | ybean Cyst Nematode (Heterodera glycines)                           |                        |                                       |
| Rad           | ce 1 Race 2 1 Race 3 1  | Race 4 Other (S        | pecify)                               |
| 0 Lar         | nce Nematode (Hoplolaimus Colombus)                                 | <b>-</b>               |                                       |
| 0 <b>s</b> ou | uthern Root Knot Nematode (Meloidogyne incognita)                   |                        |                                       |
| O No          | rthern Root Knot Nematode (Meloidogyne Hapla)                       |                        |                                       |
| 0 Pea         | nut Root Knot Nematode (Meloidogyne arenaria)                       |                        |                                       |
| O Rer         | niform Nematode (Rotylenchulus reniformis)                          |                        |                                       |
| ОТ            | HER DISEASE NOT ON FORM (Specify):                                  |                        |                                       |
|               |   |                        | Alexander .                           |
| O. PHYSIOLOG  | GICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susce                   | otible; 2 = Resistant) |                                       |
| Iror          | Chlorosis on Calcareous Soil Intermediat                            | e Reaction             |                                       |
| Oth           | er (Specify)  |                        | ·<br>                                 |
| 1. INSECT REA | ACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R               | esistant)              | -                                     |
| 0 Mex         | sican Bean Beetle (Epilachna varivestis)                            |                        |                                       |
|               | ato Leaf Hopper (Empoasca fabae)                                    |                        |                                       |
|               | er (Specify)  |                        |                                       |
|               | HICH VARIETY MOST CLOSELY RESEMBLES THA                             |                        |                                       |
| CHARACT       |   | CHARACTER              | NAME OF VARIETY                       |
| Plant Shape   | S42-30  | Seed Coat Luster       | NAME OF VARIETY S42-30                |
| Leaf Shape    | \$42-30   | Seed Size              | S42-30                                |
| Lesf Color    | \$42-30   | Seed Shape             | S42-30                                |
| Leaf Size     | S42-30  | Seedling Pigmentation  | S42-30                                |
|               |   | 1                      |                                       |

# 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY                              | NO. OF PLANT DAYS LODGING MATURITY SCORE | LODGING | CM<br>PLANT<br>HEIGHT | LEAFLET SIZE |           | SEED CONTENT |       | SEED SIZE<br>G/100 | NO.<br>SEEDS/ |
|--------------------------------------|--|---------|-----------------------|--------------|-----------|--------------|-------|--------------------|---------------|
|                                      |  | SCORE   |                       | CM Width     | CM Length | % Protein    | %∘Oil | SEEDS              | POD           |
| Submitted                            | 127                                      | 2.3     | 82                    | 7.4          | 11.0      | 41.7         | 21.6  | 16.3               | 2-4           |
| S42-30<br>Name of<br>Similar Variety | 126                                      | 2.1     | 80                    | 7.3          | 11.3      | 42.0         | 21.6  | 16.1               | 2-4           |

# PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

#### EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S39-41 was developed from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King is the sole owner of the variety.